

PURITI

Further Information


Head to our website for FAQs and further installation guides.

Contact Us

@puritibeauty
contact@puritibeauty.com

www.puritibeauty.com

PURITI




PREMIUM SHOWER FILTER

Setup Guide

Introduction

Thank you for choosing PURITI PREMIUM SHOWER FILTER.


Please take a few minutes to read the instructions before installation. Make sure you keep the instructions in a safe place for future reference.



Note: Filter Cartridge and Rubber O-Ring (Black) come already installed inside the Shower Filter Casing.

REASSEMBLE

Screw the shower filter back on the shower outlet by hand, tightening firmly. Then reattach the shower hose (A) or shower head (B) to the shower filter outlet. Do not apply excessive force when tightening as it may harm the shower threads.




SWAP FILTER CARTRIDGES

Open the shower filter by turning the halves counter-clockwise. Remove the old cartridge and replace with the new filter cartridge. Make sure you don't lose the Rubber O-Ring.




Press the filter cartridge firmly inside the filter, to ensure the bottom of the cartridge sits inside the filter outlet.



2

WRAP (OPTIONAL)

If required, clean the shower pipe threads and wrap it with 2-3 layers of Teflon tape.



A



B


3

Filter Installation

Follow these instructions to setup for a handheld showerhead (A) or a fixed shower (B).


BEFORE YOU START

Before installing your shower filter, make sure the Rubber O-Ring is fitted inside the Filter Inlet.



Remove

Remove the shower hose (A) or shower head (B) from the water outlet. It usually loosens by hand, but you may need a wrench if it is on too tight. Do not apply excessive force when removing the showerhead as it may damage the threads.




1

A

B


WRAP (OPTIONAL)

If required, clean the shower pipe threads and wrap it with 2-3 layers of Teflon tape.




ATTACH

Screw the shower filter inlet to the shower outlet and hand tighten firmly. Then reattach the shower hose (A) or shower head (B) to the shower filter outlet. Do not apply excessive force when tightening as it may harm the shower threads.



3.2



Enjoy your PURITI premium shower!

Replace Filter Cartridge

Follow these instructions to replace your PURITI shower filter cartridge.

Remove The Shower Filter

Unscrew the shower hose (A) or shower head (B) connected to the shower filter. Step 3 of the installation. Next unscrew the shower filter from the shower outlet.

